


Megalink - Ballistic test


Lane: 144 Card: 60 Series: 0

ZIA R&P



CCI Practice Ammo

Number of shots: 40
 Gauge: 5.6 mm
 Width: 12.1 mm
 Height: 12.2 mm
 Group diameter: 13.4 mm
 Average Radius: 2.0 mm
 Average bullet speed: *
 Bullet speed standard deviation: *



Shot	X [mm]	Y [mm]	Speed*	Value
1	-1.04	-1.52	na	10.2
2	0.20	-0.45	na	10.7x
3	1.44	0.01	na	10.4x
4	-1.90	-0.53	na	10.1
5	0.35	0.92	na	10.5x
6	-1.98	2.24	na	9.7
7	-1.27	-1.46	na	10.2
8	1.75	0.19	na	10.2
9	0.21	0.47	na	10.7x
10	1.04	-1.22	na	10.3x
11	-0.19	-1.12	na	10.5x
12	-1.15	-0.39	na	10.4x
13	0.08	-3.19	na	9.6
14	1.05	-2.60	na	9.8
15	0.32	-1.34	na	10.4x
16	3.15	-0.32	na	9.6
17	-3.34	-3.28	na	9.0
18	-2.02	2.01	na	9.8
19	-1.24	1.04	na	10.3x
20	0.88	0.39	na	10.6x
21	-0.07	3.31	na	9.6
22	0.50	-0.60	na	10.6x
23	1.21	1.63	na	10.1
24	1.09	1.48	na	10.2
25	0.28	-2.82	na	9.8
26	3.08	0.69	na	9.6
27	0.54	1.03	na	10.5x
28	1.72	0.50	na	10.2
29	-0.67	-1.90	na	10.1
30	1.57	-0.18	na	10.3x
31	-3.03	2.06	na	9.4
32	-1.22	0.32	na	10.4x
33	1.15	-2.07	na	10.0
34	-1.25	2.56	na	9.8
35	0.13	0.38	na	10.8x
36	0.15	1.28	na	10.4x
37	-2.00	1.65	na	9.9
38	2.06	-2.66	na	9.6
39	-0.90	1.40	na	10.3x
40	-0.65	2.08	na	10.0
Total				387

*Speed of bullet [m/s]

Megalink - Ballistic test

Lane: 144 Card: 57 Series: 0

ZIA R&P




CENTER-X 604831

Number of shots: 20
 Gauge: 5.6 mm
 Width: 9.0 mm
 Height: 8.6 mm
 Group diameter: 9.6 mm
 Average Radius: 0.9 mm
 Average bullet speed: *
 Bullet speed standard deviation: *

Shot	X [mm]	Y [mm]	Speed*	Value
1	0.30	-0.52	na	10.7x
2	-1.07	-0.01	na	10.5x
3	-0.19	-0.24	na	10.8x
4	-0.23	0.49	na	10.7x
5	1.09	-0.89	na	10.4x
6	-0.49	0.07	na	10.7x
7	-0.06	0.38	na	10.8x
8	-0.72	-0.09	na	10.7x
9	-1.62	0.24	na	10.3x
10	-0.38	-0.07	na	10.8x
11	0.33	-0.31	na	10.8x
12	-0.46	-0.35	na	10.7x
13	1.77	-1.85	na	9.9
14	0.05	-0.55	na	10.7x
15	-0.12	0.80	na	10.6x
16	-0.04	0.95	na	10.6x
17	1.03	0.01	na	10.5x
18	-0.47	1.18	na	10.4x
19	0.73	0.17	na	10.6x
20	0.56	0.61	na	10.6x
Total				199


*Speed of bullet [m/s]



Megalink - Ballistic test


Lane: 144 Card: 57 Series: 0

ZIA R&P



CENTER-X 604831

Number of shots: 42
 Gauge: 5.6 mm
 Width: 9.0 mm
 Height: 11.0 mm
 Group diameter: 11.1 mm
 Average Radius: 1.1 mm
 Average bullet speed: *
 Bullet speed standard deviation: *




Shot	X [mm]	Y [mm]	Speed*	Value
1	-0.07	-1.19	na	10.5x
2	-1.44	-0.68	na	10.3x
3	-0.56	-0.90	na	10.5x
4	-0.60	-0.17	na	10.7x
5	0.72	-1.56	na	10.2
6	-0.86	-0.60	na	10.5x
7	-0.43	-0.29	na	10.7x
8	-1.09	-0.76	na	10.4x
9	-1.99	-0.43	na	10.1
10	-0.75	-0.74	na	10.5x
11	-0.04	-0.97	na	10.5x
12	-0.83	-1.02	na	10.4x
13	1.40	-2.52	na	9.8
14	-0.32	-1.22	na	10.4x
15	-0.49	0.13	na	10.7x
16	-0.41	0.28	na	10.7x
17	0.66	-0.66	na	10.6x
18	-0.84	0.51	na	10.5x
19	0.36	-0.50	na	10.7x
20	0.19	-0.06	na	10.9x
21	0.37	0.44	na	10.7x
22	-0.54	0.34	na	10.7x
23	0.87	0.90	na	10.4x
24	0.19	-0.04	na	10.9x
25	-0.27	-0.25	na	10.8x
26	-0.40	0.59	na	10.7x
27	1.11	-0.53	na	10.4x
28	0.87	0.59	na	10.5x
29	-0.45	1.43	na	10.3x
30	0.30	0.51	na	10.7x
31	-0.42	-0.81	na	10.6x
32	1.13	0.68	na	10.4x
33	0.19	0.90	na	10.6x
34	0.02	1.36	na	10.4x
35	0.86	-0.31	na	10.6x
36	0.94	1.02	na	10.4x
37	-0.27	0.52	na	10.7x
38	0.75	2.90	na	9.7
39	0.76	0.07	na	10.6x
40	-0.12	1.38	na	10.4x
Total				418

*Speed of bullet [m/s]

Megalink - Ballistic test

Lane: 144 Card: 59 Series: 0

ZIA R&P




Eley Match (Black) 116-04277

Number of shots: 20
 Gauge: 5.6 mm
 Width: 8.5 mm
 Height: 8.7 mm
 Group diameter: 8.7 mm
 Average Radius: 1.0 mm
 Average bullet speed: *
 Bullet speed standard deviation: *

Shot	X [mm]	Y [mm]	Speed*	Value
1	-0.54	0.31	na	10.7x
2	0.57	1.29	na	10.4x
3	-1.36	0.21	na	10.4x
4	0.47	-0.23	na	10.7x
5	0.65	-0.04	na	10.7x
6	-1.03	0.49	na	10.5x
7	-0.79	-0.46	na	10.6x
8	0.16	-1.14	na	10.5x
9	0.13	-0.43	na	10.8x
10	-0.34	1.91	na	10.1
11	-0.47	-0.41	na	10.7x
12	0.84	-0.73	na	10.5x
13	-0.77	-0.83	na	10.5x
14	0.04	0.77	na	10.6x
15	0.64	-0.46	na	10.6x
16	0.88	-0.40	na	10.6x
17	-0.63	-0.96	na	10.5x
18	1.57	0.47	na	10.3x
19	0.55	0.55	na	10.6x
20	-0.56	0.10	na	10.7x
Total				200


*Speed of bullet [m/s]



Megalink - Ballistic test


Lane: 144 Card: 59 Series: 0

ZIA R&P



Eley Match (Black) 116-04277

Number of shots: 40
 Gauge: 5.6 mm
 Width: 9.0 mm
 Height: 9.9 mm
 Group diameter: 9.9 mm
 Average Radius: 1.0 mm
 Average bullet speed: *
 Bullet speed standard deviation: *



Shot	X [mm]	Y [mm]	Speed*	Value
1	-0.46	0.30	na	10.7x
2	0.65	1.27	na	10.4x
3	-1.29	0.19	na	10.4x
4	0.55	-0.25	na	10.7x
5	0.73	-0.05	na	10.6x
6	-0.95	0.47	na	10.5x
7	-0.71	-0.48	na	10.6x
8	0.23	-1.16	na	10.5x
9	0.21	-0.45	na	10.7x
10	-0.27	1.90	na	10.2
11	-0.39	-0.43	na	10.7x
12	0.92	-0.75	na	10.5x
13	-0.69	-0.85	na	10.5x
14	0.12	0.75	na	10.6x
15	0.72	-0.48	na	10.6x
16	0.96	-0.41	na	10.5x
17	-0.55	-0.98	na	10.5x
18	1.65	0.45	na	10.2
19	0.63	0.53	na	10.6x
20	-0.48	0.08	na	10.7x
21	0.31	1.01	na	10.5x
22	0.24	-0.13	na	10.8x
23	-0.56	-0.63	na	10.6x
24	-0.21	-2.40	na	10.0
25	1.49	0.46	na	10.3x
26	-0.71	0.44	na	10.6x
27	-1.63	-1.80	na	9.9
28	-1.72	0.54	na	10.2
29	-0.48	0.18	na	10.7x
30	0.04	-0.13	na	10.9x
31	1.51	-0.61	na	10.3x
32	0.71	0.74	na	10.5x
33	-0.64	1.12	na	10.4x
34	-0.12	-0.72	na	10.6x
35	-0.40	0.98	na	10.5x
36	0.22	1.50	na	10.3x
37	0.26	0.61	na	10.7x
38	-0.23	-0.65	na	10.7x
39	0.28	-0.52	na	10.7x
40	0.06	0.40	na	10.8x
Total				399

*Speed of bullet [m/s]

Megalink - Ballistic test

Lane: 144 Card: 58 Series: 0

ZIA R&P




RWS R50 53-7HI-782

Number of shots: 20
 Gauge: 5.6 mm
 Width: 8.1 mm
 Height: 8.8 mm
 Group diameter: 8.8 mm
 Average Radius: 1.0 mm
 Average bullet speed: *
 Bullet speed standard deviation: *

Shot	X [mm]	Y [mm]	Speed*	Value
1	0.61	1.00	na	10.5x
2	-0.55	0.76	na	10.6x
3	0.25	0.23	na	10.8x
4	0.27	0.85	na	10.6x
5	-0.80	-0.94	na	10.4x
6	0.81	0.43	na	10.6x
7	-0.21	-1.10	na	10.5x
8	-0.02	1.37	na	10.4x
9	0.20	-1.81	na	10.2
10	0.75	0.61	na	10.6x
11	-0.39	-0.17	na	10.8x
12	0.96	1.06	na	10.4x
13	-1.11	0.35	na	10.5x
14	-0.16	-0.19	na	10.8x
15	-1.21	-1.32	na	10.2
16	-0.27	0.70	na	10.6x
17	1.24	-1.14	na	10.3x
18	-0.14	-0.09	na	10.9x
19	0.45	-0.26	na	10.7x
20	-0.67	-0.33	na	10.6x
Total				200


*Speed of bullet [m/s]



Megalink - Ballistic test


Lane: 144 Card: 58 Series: 0

ZIA R&P



RWS R50 53-7HI-782

Number of shots: 40
 Gauge: 5.6 mm
 Width: 9.4 mm
 Height: 9.5 mm
 Group diameter: 10.1 mm
 Average Radius: 1.1 mm
 Average bullet speed: *
 Bullet speed standard deviation: *



Shot	X [mm]	Y [mm]	Speed*	Value
1	0.43	0.63	na	10.6x
2	-0.73	0.39	na	10.6x
3	0.07	-0.14	na	10.9x
4	0.09	0.48	na	10.7x
5	-0.99	-1.31	na	10.3x
6	0.62	0.06	na	10.7x
7	-0.39	-1.47	na	10.3x
8	-0.20	1.00	na	10.5x
9	0.02	-2.18	na	10.0
10	0.57	0.24	na	10.7x
11	-0.57	-0.54	na	10.6x
12	0.78	0.68	na	10.5x
13	-1.29	-0.02	na	10.4x
14	-0.34	-0.56	na	10.7x
15	-1.40	-1.69	na	10.0
16	-0.45	0.32	na	10.7x
17	1.06	-1.51	na	10.2
18	-0.32	-0.46	na	10.7x
19	0.27	-0.63	na	10.7x
20	-0.85	-0.70	na	10.5x
21	-0.35	1.36	na	10.4x
22	0.52	-0.43	na	10.7x
23	0.23	0.70	na	10.6x
24	0.54	-1.03	na	10.5x
25	0.60	1.35	na	10.3x
26	-0.07	1.72	na	10.2
27	0.47	0.79	na	10.6x
28	-0.22	0.13	na	10.8x
29	-0.69	1.22	na	10.4x
30	1.44	-1.04	na	10.2
31	0.17	-0.76	na	10.6x
32	-0.39	1.47	na	10.3x
33	1.69	0.71	na	10.2
34	-0.42	-1.11	na	10.5x
35	1.90	1.42	na	10.0
36	-1.89	0.15	na	10.2
37	0.06	0.25	na	10.8x
38	0.20	-0.33	na	10.8x
39	0.23	0.55	na	10.7x
40	-0.40	0.28	na	10.7x
Total				400

*Speed of bullet [m/s]